



SD917 V28

10 inch Android 13 rugged tablet



Functions



Android 13.0
(support GMS)



4G



WiFi



Bluetooth



Camera



NFC



2D



Fingerprint



GPS



12000mAh



UHF

Application

Including industrial manufacturing, logistic management, warehouse management, forklift vehicle...



Specification

General Specification

Dimensions	275*178*18mm
Display	10.1 inch,1920*1200; 400nits/1000nits optional sunshine readable; 10 point touch, support stylus
Interface in/out port	1. normal USB*1 2. Type-c USB*1 3. RJ45*1 4. bottom pogopin*1, USB and serial 5. back pogopin*1 6. DC*1 3.5*1.35 7. microphone+earphone 8. RS232*1
Pogopin definition	1.16pin back of cover, include (1USB, 1 RS232, 1 UART, 3.3V, 5V OUT) 2. 8pin in bottom; (1USB, 1 RS232, 1 UART) VESA hole 75*75mm or 90*90mm
Power	12000mAh,hotswap, 2400mAh backup power; 3.8V 3A input, support hotswap
SPEAKER	1.5 watt
Sensor	1. light sensor 2. compass 3. gravity 4. acceleration 5. baroceptor
Button	V+ -, Power, P, F, H
Camera	5M/13M, flash
Casing material	ABS/PC
Multi-media (Hardware decoding)	•Photo Viewer: BMP, JPG, GIF, PNG •Video Format: MEPEG 1/2/4,H.263/H.264, RMVB,WMV/VC-1,MVC,AVS,MJPEG. (UP TO 1080P) •Audio Format :MP3,WMA,WAV,OGG,FLAC ,ALAC,APE,AAC,AC-3,DTS (need license)

Performance

OS	Android 13.0 (support GMS)
CPU	MT6789 Octa A76, 8 cores 2.2 GHz
RAM/ROM	8GB + 256GB (12G+256G optional)

Communication

WIFI	802.11a b c, g,n wireless internet Wireless AP (Mobile AP)2.4G, 5G
WWAN	4G Fre: FDD: B1,B2, B3,B4, B5, B7, B8, B10, B12, B13, B14, b17, B20, B23, B24, B25, B26 TDD: B38,B39,B40,B41, B66, B71 B34 WCDMA:B1,B2, B5, B8 TD-SCDMA: B34,B35, B36, B37, B38 B39, B40, B41, B42, B43 GSM/GPRS/EDGE, 850/900/1800/1900
GPS	beidou,GPS, glonass
BLUETOOTH	5.0 version

Optional Function

UHF RFID	reading and write distance 1meter to 10 meter
2D barcode	Honeywell N4680
Fingerprint	LD-8800-M
NFC	13.56 MHz

Accessories

Standard accessories in gift box	1. USB cable 2. charger(4-in-1) 3. handstrap 4. handstring 5. white box, no logo
Optional accessories	1. car docking 2. extra battery 3. screen protective film 4. car holder 5. docking station 6. car charger

User Environment

Working Temperature	-20℃~+60℃
Storage Temperature	-25℃~+80℃
IP Level	1. water proof IP65/IP66/IP67 2. Drapping proof 1.2 meter
Certification	1. 810G 2. CE,FCC



SHANDONG SENTER ELECTRONIC CO., LTD.

www.senter-e.com

sales@senter.com.cn

Accessories



Car holder



Handstring



Charger



Handstrap



Docking station